

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/774,556	02/09/2004	James Finn	006163.00004	8975
22908	7590 06/19/2006		EXAMINER	
BANNER & WITCOFF, LTD.			KLEIN, GABRIEL J	
TEN SOUTH WACKER DRIVE SUITE 3000			ART UNIT	PAPER NUMBER
CHICAGO,			3641	
			DATE MAILED: 06/19/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/774,556	FINN, JAMES				
Office Action Summary	Examiner	Art Unit				
	Gabriel J. Klein	3641				
The MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondence address				
Period for Reply	/ IO OFT TO EVENE AMONTH!	0) OD THIDTY (00) DAYO				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D/ - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 18 A	pril 2006.					
,—						
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-27 is/are pending in the application						
4a) Of the above claim(s) 11-19 and 25-27 is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-10 and 20-24</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	er.					
10) The drawing(s) filed on is/are: a) acc	epted or b) ☐ objected to by the	Examiner.				
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correct						
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C. § 119(a	)-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority document						
3. Copies of the certified copies of the prior		ed in this National Stage				
application from the International Burea		ad				
* See the attached detailed Office action for a list	of the certified copies not receive	su.				
Attachment(s)	4) 🔲 Interview Summary	/ (PTO-413)				
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	ate				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F 6) Other:	Patent Application (PTO-152)				

Application/Control Number: 10/774,556

Art Unit: 3641

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-6 and 20-23 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Garret (5519954).

In reference to claims 1 and 20 Garret discloses a firearm having a receiver configured to receive a tabbed magazine, with the capability to remove said tabbed magazine with one hand, comprising:

- a receiver well configured to control movement of the tabbed magazine when the tabbed magazine is inserted into the receiver well (figures 1, 2, and 6-8);
- a slot in the receiver well, wherein the slot is configured to receive a tab on the tabbed magazine when the tabbed magazine is inserted into the receiver well (figures 1, 2, and 6-8, in figures 6-8 the tab of the magazine and the corresponding slot are shown at the leftmost side of the magazine, element 30, arrow 1 of the clarified figure below points to a circle encompassing said slot and said tab). It should be appreciated that Garret discloses multiple slots in the receiver well capable of receiving tabs on the tabbed magazine

(arrow 2 of the clarified figure below points to a circle encompassing another slot); and

a magazine catch, said magazine catch being capable of engaging a locking feature on the tabbed magazine when the tabbed magazine is inserted into the receiver well (figure 6, elements 34 and 52). Further, said magazine catch having an engaged position and a disengaged position, said locking feature being located in a rib of said magazine (figure 1, element 34), and wherein moving the magazine catch from the engaged position toward the disengaged position causes the magazine catch to disengage the locking feature so that the tabbed magazine can drop out of the receiver well (figures 6-8).

In reference to claim 2, Garret further discloses a receiver stop, said receiver stop being capable of preventing over insertion of the tabbed magazine. Said receiver stop comprising the top of the receiver (not shown in the drawings, but inherently a component of said firearm). Further, said receiver stop comprises element 32 in figure 1, which is a protrusion from the side of said tabbed magazine that catches on the bottom face of said magazine catch (figure 6) preventing over insertion of said tabbed magazine into said receiver well.

In reference to claim 3, Garret further discloses that said receiver stop, said magazine catch, and said receiver well hold the magazine in place. Said receiver stop and said magazine catch controlling movement in and out of said receiver well, while said receiver well controls any side to side movement of said magazine.

In reference to claims 4 and 21, Garret further discloses that said receiver well includes a rib for engaging said tabbed magazine, said rib being capable of controlling movement of said tabbed magazine when said tabbed magazine is inserted into the receiver well (said rib can be seen clearly in figures 1, 2, and 6-8 inside the receiver well on the longer sides of said receiver well).

In reference to claim 5, Garret further discloses that said receiver well includes a chamfer capable of aiding in the insertion of said tabbed magazine (figures 1 and 2). It should be appreciated that it can be clearly seen in Applicant's drawings, specifically figure 10a, said chamfer is rounded. The chamfer shown in figures 1 and 2 of Garret's disclosure show the exact same structure.

In reference to claims 6 and 23, Garret further discloses that said firearm comprises a magazine release button. Inherently, said firearm has a right and left side. Furthermore, said magazine release button is accessible from either the right or left side of said receiver (figures 7 and 8). Said magazine release button capable of disengaging said magazine catch.

In reference to claim 22, Garret discloses that the slot is positioned on an opposite side of the receiver well compared to the magazine catch (figure 6; see clarified figure 6 below, contents of circle indicated by arrow 2)


## Response to Arguments

Applicant's arguments filed April 18, 2006 have been fully considered but they are not persuasive. Applicant argues that the locking feature as disclosed by Garret is in the same basic location as the retaining feature. However, it is apparent that applicant

has misunderstood the details of the non-final rejection, in particular the location of the slot in the receiver well as disclosed by Garret. Below is a copy of figure 6 from the Garret disclosure with circles and arrows (1 and 2) added for purposes of clarification. In the original rejection it was stated that Garret discloses a slot in the receiver well, wherein the slot is configured to receive a tab on the tabbed magazine when the tabbed magazine is inserted into the receiver well (figures 1, 2, and 6-8, in figures 6-8 the tab of the magazine and the corresponding slot are shown at the leftmost side of the magazine, element 30). Said tab and said slot are clearly shown in the location mentioned above and are clarified by the figure below (arrow 1 points to the circle encompassing said tab and slot). Therefore, it is clearly shown that the locking feature is not in the same basic location as the retaining feature. Further, it is clearly shown that the receiver of Garret is configured to receive a tabbed magazine as evidenced by the figure below. It should be appreciated that the above portion of the rejection has only been altered slightly to account for the amendment made to claim 22 which added the limitation that the slot is positioned on an opposite side of the receiver well compared to the magazine catch. It should be appreciated that Garret discloses multiple slots in the receiver well capable of receiving tabs on the tabbed magazine.

Application/Control Number: 10/774,556

Art Unit: 3641



Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 7, 8, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Garret in view of Elbe et al (4058922) and further in view of Ludwig et al (4326353). Garret discloses the claimed invention except for the ambidextrous bolt stop button. Elbe et al teaches that it is known to use a bolt stop button as set forth in

column 2, paragraph 4, to provide manual means for activating the bolt catch so as to hold the bolt in an open position in order to visually inspect a chamber of said firearm. Ludwig et al teaches that it is known to use an ambidextrous magazine release button. as set forth in the abstract, to provide a user with the capability and convenience of releasing a magazine from a firearm using either hand, therefore accommodating both right handed and left handed shooters. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the bolt stop button as taught by Elbe et al, with the ambidextrous design as taught by Ludwig et al, since such a modification would provide an ambidextrous bolt stop button to provide manual means for activating the bolt catch, from either side of said firearm, therefore accommodating both right handed and left handed shooters. Further, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the firearm as taught by Garret, with the ambidextrous bolt stop button taught by Elbe et al in view of Ludwig et al, since such a modification would provide the firearm with the ambidextrous bolt stop button to provide an ambidextrous bolt stop button to provide manual means for activating the bolt catch, from either side of said firearm, therefore accommodating both right handed and left handed shooters, so as to hold the bolt in an open position in order to visually inspect a chamber of said firearm.

Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Garret in view of Ludwig et al. Garret discloses the claimed invention except for the magazine catch being rotatably mounted to the receiver and the translation of the magazine release button causing the magazine catch to rotate. Ludwig teaches that it is known to

use a magazine catch being rotatably mounted to the receiver and the translation of the magazine release button causing the magazine catch to rotate as set forth in figures 5-8 to provide a simple (therefore less expensive), ambidextrous, method of releasing a magazine from a receiver well. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the firearm as taught by Garret, with the magazine catch being rotatably mounted to the receiver and the translation of the magazine release button causing the magazine catch to rotate as taught by Ludwig, since such a modification would provide the firearm with the magazine catch being rotatably mounted to the receiver and the translation of the magazine release button causing the magazine catch to rotate to provide a simpler, less expensive, ambidextrous means for releasing said magazine from said receiver well. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Garret in view of Johnson (4709496). Garret discloses the claimed invention except for the magazine follower. Johnson teaches that it is known to use a magazine follower as set forth in column 8, paragraph 2, to provide an automatic latching means for the bolt stop latch upon firing of the last round in the magazine to keep the bolt out of battery so as to facilitate easy loading of a firearm. It would have been obvious to one having ordinary skill in art at the time that the invention was made to modify the firearm (specifically the tabbed magazine) as taught by Garret, with the magazine follower as taught by Johnson, since such a modification would provide the firearm (specifically the tabbed magazine) with the magazine follower to provide an automatic latching means for the

bolt stop latch upon firing of the last round in the magazine to keep the bolt out of battery so as to facilitate easy loading of said firearm.

### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gabriel J. Klein whose telephone number is 571-272-8229. The examiner can normally be reached on Monday through Friday 7:15 am to 3:45 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Carone can be reached on 571-272-6873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/774,556

Art Unit: 3641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Page 10

GJK

STEPHEN M. JOHNSON PRIMARY EXAMINER

deper u lor